




Nexion

2024 DOMESTIC STOCKING PROGRAM





INDEX

2 WHO WE ARE

5 NORTH AMERICAN WAREHOUSES

9 2024 DOMESTIC STOCKING PROGRAM

51 PROMOTIONAL TOOLS

57 TECH SPECS

59 GENERAL TERMS OF SALE

Nexion was established by Ceramiche Speranza - an Italian family holding founded in 1961 and former owner of Emilceramica Group until 2017.

- R&D, Marketing and Global Sales are base in Italy in order to provide the highest service standards
- The manufacturing process runs in a 4.0 state-of-the-art new plant located in Morbi (India), thought and built with the same latest technologies and stringent quality standards of the best Italian manufacturers

Since the very beginning Nexion has been recognized as "surface innovator", being the only Company able to provide up to 10 different surface options featured in an extensive range of large sizes.


Nexion ceramic surfaces materialize the holistic vision of a space, being a unique blend of beauty and performance. Each surface is the result of the capability of its designers to connect with any source of inspiration and bring unique products to life. Each Nexion surface is capable of elevating the personality of a space, becoming part of your own experience.



NEXION SIZES RANGE

Nexion offers a size range featuring seven different sizes able to meet any design need, from the entry level in 12"x24" up to the porcelain slab in 48"x96".

All Nexion sizes are offered in 9.0mm thickness and allow modular applications.



Up to 10 surface options featured in an extensive range of large sizes.

The result of this "surface innovator" approach is an advanced mix of graphic qualities and performance advantages that opens a new era for interior design floors and walls, making Nexion a unique surface-driven brand in the world.

FULLY POLISHED



HONED



MATTE




MATTE SOFT




BRUSHED



BOCCIARDATO



RIGATO



PETTINATO

MATTE R11 & MATTE R12 Available upon request



NORTH AMERICAN WAREHOUSES






Nexion has recently established two third-party warehouses across the East Coast to offer a better coverage to partners and distributors in North America.

NORTH AMERICAN WAREHOUSES | NEW JERSEY


The North East facility is located in Pine Brook (NJ), 35 minutes West from Manhattan (NY).



THE STONE PROJECT
10 NEW MAPLE AVENUE, SUITE
307 PINE BROOK, NJ 07058



The South East facility is located in Doral, few minutes away from the Miami International Airport.



IBERIA TILES
2975 NW 77TH AVENUE,
MIAMI, FL 33122



NEXION RETRACES THE AGELESS BEAUTY OF MARBLES

Thanks to an in-depth study of the finest marbles **we devised many design and surfaces that interpret natural marbles and artificial materials with new high-tech features**, in line with the needs of contemporary architecture.

Our **marble gallery** distinguish itself for its rare beauty, able to give back all the flavor of marbles that have always represented the maximum degree of exclusivity in constructions, designed and developed for the most refined tastes.

This concept currently features over 25 marble designs, offered in a one-of-a-kind variety of sizes and surfaces.

Nexion DOMESTIC PROGRAM is a selection of nine designs, stocked in the USA, that represent a modern synthesis between aesthetic richness and technical capabilities, highlighted even more by the multiple variations of surface finishes, striving to obtain the right perceptive effect according to every own design context.

STATUARIO



CALACATTA



CALACATTA BRONZO



MARBLE GALLERY | THE DOMESTIC RANGE

BIANCO LASA



ONICE PERSIANO



CREMA EUROPA




MARBLE GALLERY | THE DOMESTIC RANGE

PULPIS GRIGIO



CALACATTA NERO



ONICE NERO



* Explore the full range of our *marble gallery* [here](#)

FULLY POLISHED



HONED



MATTE SOFT



TEXTURES: THE “CHIARO-SCURO” LIGHT EFFECTS


Nexion offers a unique concept of eye-catching 3D textures featuring the same visual and tactile richness as the most prestigious varieties of marbles when they undergo craft techniques, which are the culmination of centuries of constant, progressive honing.

The result is the creation of a textural approach that produces striking, ever-changing visual effects with a vibrant contemporary flavour.

RIGATO



PETTINATO



APUANE STATUARIO



Apuane Statuario Honed 48"x48"



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0 MM**

SIZES **24"x48" | 48"x48"**

FINISHES **FULLY POLISHED / HONED / MATTE SOFT /
RIGATO / PETTINATO**

*** Additional sizes and surface finishes available as a special order**

48"x48" HONED	24"x48" FULLY POLISHED HONED MATTE SOFT RGATO PETTINATO
------------------------------------	--

APUANE STATUARIO | **ITEM#**

	24"x48"	48"x48"
FULLY POLISHED	F62APNAoLRo	-
HONED	F62APNAoYRo	F12APLAoYRo
MATTE SOFT	F62APNAoGRo	-
RIGATO	F62TEXAoRRo	-
PETTINATO	F62TEXAoTRo	-






Apuane Statuario Matte Soft 24"x48"

CALACATTA



Calacatta Rigato 24"x48"



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0 MM**

SIZES **24"x48" | 48"x48"**

FINISHES **FULLY POLISHED / HONED / MATTE SOFT /
RIGATO / PETTINATO**

* **Additional sizes and surface finishes available as a special order**

48"x48"	24"x48"
HONED	FULLY POLISHED
MATTE	HONED
	MATTE SOFT
	RIGATO
	PETTINATO

CALACATTA | **ITEM#**

	24"x48"	48"x48"
FULLY POLISHED	F62KARa0LRo	-
HONED	F62KARa0YRo	F12KASa0YRo
MATTE SOFT	F62KARa0GSo	F12KARa0NRo *MATTE
RIGATO	F62TEXA1RRo	-
PETTINATO	F62TEXA1TRo	-





Calacatta Honed 24"x48"

CALACATTA BRONZO



Calacatta Bronzo Fully Polished 24"x48"

CALACATTA BRONZO



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0 MM**

SIZES **24"x48"**

FINISHES **FULLY POLISHED / HONED**

* Additional sizes and surface finishes available as a special order

24"x48"

FULLY POLISHED

HONED

CALACATTA BRONZO | ITEM#

24"x48"	
FULLY POLISHED	F62ACDAoLRo
HONED	F62ACDAoYRo






Calacatta Bronzo Honed 24"x48"

BIANCO LASA



Bianco Lasa Honed 32"x64"



TECHNICAL DETAILS


TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0** MM

SIZES **24"x48"** | **32"x64"**

FINISHES **FULLY POLISHED / HONED / MATTE SOFT**


* Additional sizes and surface finishes available as a special order



BIANCO LASA | ITEM#

	24"x48"	32"x64"
FULLY POLISHED	F62PMPAoLRo	-
HONED	F62PMPAoYRo	F86PMNAoYRo
MATTE SOFT	F62PMPAoGSo	-






Bianco Lasa Matte Soft 48"x48"

ONICE PERSIANO



Onice Persiano Honed 24"x48"



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0** MM

SIZES **24"x48"** | **48"x48"**

FINISHES **FULLY POLISHED / HONED / MATTE**

* Additional sizes and surface finishes available as a special order

48"x48" HONED MATTE	24"x48" FULLY POLISHED HONED
--	---

ONICE PERSIANO | ITEM#

	24"x48"	48"x48"
FULLY POLISHED	F62PMPEoLRo	-
HONED	F62PMPEoYRo	F12PMNEoYRo
MATTE	-	F12PMPEoNRo





Onice Persiano Fully Polished 24"x48"

CREMA EUROPA



Floor: Crema Europa Matte Soft 48"x48" | Wall: Crema Europa Rigato 48"x96"



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0 MM**

SIZES **24"x48"**

FINISHES **FULLY POLISHED / HONED / MATTE SOFT /
RIGATO / PETTINATO**

*** Additional sizes and surface finishes available as a special order**

24"x48"

FULLY POLISHED

HONED

MATTE SOFT

RIGATO

PETTINATO

CREMA EUROPA | **ITEM#**

	24"x48"
FULLY POLISHED	F62KARBoLRO
HONED	F62KARBoYRO
MATTE SOFT	F62KARBoGSo
RIGATO	F62TEXBoRRo
PETTINATO	F62TEXBoTRO





Crema Europa Pettinato 24"x48"

PULPIS GRIGIO



Pulpis Grigio Honed 48"x48"



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0 MM**

SIZES **24"x48" | 48"x48"**

FINISHES **FULLY POLISHED / HONED / MATTE SOFT /
RIGATO / PETTINATO**

* Additional sizes and surface finishes available as a special order

48"x48" HONED	24"x48" FULLY POLISHED HONED MATTE SOFT RIGATO PETTINATO
-------------------------------------	--

PULPIS GRIGIO | ITEM#

	24"x48"	48"x48"
FULLY POLISHED	F62PMPGoLRo	-
HONED	F62PMPGoYRo	F12PMNGoYRo
MATTE SOFT	F62PMPGoGRo	-
RIGATO	F62TEXGoRRo	-
PETTINATO	F62TEXGoTRo	-






Pulpis Grigio Fully Polished 24"x48"

CALACATTA NERO



Floor: Calacatta Nero Honed 48"x96" | Wall: Calacatta Nero Honed 48"x96"

CALACATTA NERO



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0 MM**

SIZES **24"x48"**

FINISHES **FULLY POLISHED / HONED**

* Additional sizes and surface finishes available as a special order

24"x48"

FULLY POLISHED

HONED

CALACATTA NERO | **ITEM#**

	24"x48"
FULLY POLISHED	F62ACDKoLRo
HONED	F62ACDKoYRo





Calacatta Nero Honed 24"x48"

ONICE NERO



Onice Nero Fully Polished 24"x48"

ONICE NERO



TECHNICAL DETAILS

TECHNOLOGY **COLORED BODY PORCELAIN RECTIFIED**

THICKNESS **9.0 MM**

SIZES **24"x48"**

FINISHES **FULLY POLISHED / HONED**

* Additional sizes and surface finishes available as a special order

24"x48"


FULLY POLISHED

HONED

ONICE NERO | **ITEM#**

	24"x48"
FULLY POLISHED	F62SGNKoLRo
HONED	F62SGNKoYRo





Onice Nero Honed 24"x48"

PROMOTIONAL TOOLS





Nexion has devised a set of marketing tools and solutions to feature and promote properly the brand new ***domestic stocking program***. A ductile concept to fit any space and meet any design need.


FLOOR DISPLAYS



Two options of showroom floor displays:

- SINGLE ROW DISPLAY: Holding up to 8pcs 24"x48"
- DOUBLE ROWS DISPLAY: Holding up to 16pcs 24"x48" and/or a combination between 24"x48" & 48"x48"

TABLE DISPLAYS



A set of table displays holding up to 8pcs that can be either 6"x9" or 12"x12"

ARCHITECTURAL BOXES & ARCHITECTURAL FOLDERS




A set of architectural boxes with 6"x9" loose pieces for presentations to A&D. Each arc.box can hold up to 6pcs in the 6"x9" chip size. Alternatively architectural books can be available upon request

FULL SIZE LOOSE SAMPLES



FULL SIZE LOOSE SAMPLES



CUT SIZE LOOSE SAMPLES



12"x24"

12"x12"

6"x9"



TECH SPECS



TECH SPECS

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tiles caliber in multi-sized applications. Both cement and epoxy grout can be used; grout design color matching advisable for optimal aesthetics. It is not recommended to use grouting with colored pigments in contrast with the color of the tiles.

For detailed installation suggestion log on www.nexiontiles.com

NEXION QUALITY STANDARDS – All tests are carried out by Italian laboratories accredited according to ISO/IEC 17025:2017 Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles.

QUALITY ITEMS	TECHNICAL FEATURE	STANDARD METHOD ISO	UNIT	REQUIREMENTS ISO 13006:2018(E) E _V ≤0,5%GROUP Bla	NEXION Values			
					SIZE < 1200 mm		SIZE ≥ 1200 mm (SLABS)	
					%	mm	%	mm
DIMENSION S AND SURFACE QUALITY	Width	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm
	Length	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,2 mm
	Thickness	ISO 10545 - 2	mm	± 5,0%	± 4,0%	± 0,5 mm	± 4,0%	± 0,5 mm
	Straightness of Side	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm
	Rectangularity	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 1,3 mm	± 0,1%	± 1,5 mm
	Surface Flatness	ISO 10545 - 2	mm	± 0,4%	± 0,1%	± 1,8 mm	± 0,2%	± 3,0 mm
	Surface Quality	ISO 10545 - 2	-	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	95%			
PHYSICAL PROPERTIES	Water Absorption	ISO 10545 - 3	%	≤ 0,5%, Individual 0,6%	Avg. ≤ 0,08%, Individual 0,2%			
	Modulus of Rupture	ISO 10545 - 4	N/mm2	Min. 35, Individual Min. 32	Min. 42			
	Breaking Strength	ISO 10545 - 4	N	Not less than 1300	Min. 1800			
	Moisture Expansion	ISO 10545 - 10	mm/m	-	0,02			
	Surface Abrasion	ISO 10545 - 7	Class	Minimum Class II Report abrasion class and cycles passed	CLASS IV (> 2100 Cycles)			
	Resistance to surface abrasion of glazed tiles intended for use on floors							
	Mohs Hardness of surface	NA	-	-	7			
	Coefficient of linear thermal expansion from ambient temperature to 100 °C	ISO 10545 - 8	K ⁻¹	As declared by the Manufacturer	6x10 ⁻⁶ K ⁻¹ max			
	Thermal Shock Resistance	ISO 10545 - 9	-	As declared by the Manufacturer	No damage			
	Crazing Resistance: glazed tiles	ISO 10545 - 11	-	Required	No damage for min. 10 Cycles			
	Bulk Density	ISO 10545 - 3	g/cc	2,2	2,2			
	Impact Resistance	ISO 10545 - 5	-	As declared by the Manufacturer	0,55			
	Frost Resistance	ISO 10545 - 12	-	As declared by the Manufacturer	No change			
	Slip Resistance	ANSI A137,1	-	As declared by the Manufacturer	DCOF > 0,51 (Matte) DCOF > 0,42 (Matte Soft)			
		DIN 51130	-		R-10 (Matte) R-9 (Matte Soft)			
	Small color differences	ISO 10545 - 16	-	Plain colored tiles only where required GL: ΔE < 0,75 UGL: ΔE < 1,0	No change			
CHEMICAL PROPERTIES	Resistance to staining	ISO 10545 - 14	Class	Minimum Class 3	Class 4			
	Resistance to household chemicals and swimming pool salts	ISO 10545 - 13	Class	Minimum B	Minimum A			
	Resistance to acids & alkalis	ISO 10545 - 13	Class	As declared by the Manufacturer	Minimum B			


Size	
Nominal Size (inches)	Actual Size (mm)
48"x96"	1198x2398
32"x64"	798x1598
48"x48"	1198x1198
24"x48"	598x1198
24"x24"	598x598
12"x24"	298x598

PACKAGING INFO

Nominal Size (inches)	Thickness (mm)	Pcs/Box	Sf/Box	Weight/ Box (lbs)	Box/Pallet	Sf/Pallet	Pallet Weight (lbs)
48"x96"	9.0	1	31.00	136.70	37 *(U-Frame)	1,147.00	2347,00
32"x64"	9.0	1	13.77	63.95	26	358.02	1,662.70
48"x48"	9.0	1	15.50	68.35	23	356.50	1,660.35
24"x48"	9.0	2	15.50	68.35	32	496.00	2,253.50
24"x24"	9.0	4	15.50	68.35	34	527.00	2,374.80
12"x24"	9.0	6	11.625	51.26	40	465.00	2,079.35

Tiles are packed in a random manner and the Company cannot guarantee the faces selection in each box

GENERAL TERMS OF SALES



GENERAL TERMS OF SALE FOR THE U.S. WAREHOUSE

In addition to the General Terms of Sale offered by Nexion Surfaces, the terms and conditions of sale set out below shall form part of any and all the agreements entered between the Seller (Nexion Surfaces or any other Company operating on behalf of them as a third party warehouse) and the Buyer for the sale of the products, and they shall prevail over every general terms of the Buyer, unless expressly accepted upon in writing by the Seller.

The Seller shall reserve the right to modify, supplement or amend the General Terms and Conditions of Sale, by indication of such variations in the offer or any other written communication to the Buyer.

Terms of Delivery (U.S. Warehouse)

- The delivery of the products shall be EXW. The Seller shall deliver the products by making them available to the Buyer according to the terms and the place specified in the order confirmation
- Upon delivery, the Seller shall only assume the obligation to load the products on the load vehicle, any other obligation being excluded
- The Seller shall not be liable for any loss or damage to the products after the delivery to the Buyer


Prices (U.S Warehouse)

- The prices of the products are EXW. Therefore, any other charges or expenses related to shipping, delivery and/or transport of the products are the sole responsibility of the Buyer

Returns (U.S. Warehouse)

Nexion Surfaces reserve the right to accept any returns according to the following guidelines:

- All returns must be filed within 20 days from date of invoice and completed (when approved) within the following 10 days
- No products of any kind shall be returned without the prior written approval (RMA) and specific shipping instructions from the manufacturer's representative
- Unless otherwise agreed, all material returns shall be assessed a 25% restock charge. Buyer shall be responsible for the payment of all associated freight costs
- In order to be eligible for credit, all the returned material must arrive at the warehouse in the same good conditions as when it was shipped. Moreover, the shade of returned material must match existing manufacturer's stock
- Open or damaged boxes will not be accepted
- Failing to meet the above conditions will not make any credit eligible
- Discontinued or non-stock material cannot be returned
- Any kind of special orders offered through the warehouse is non-returnable



Nexion

THE STONE PROJECT

Luxury Stone And Tile Simplified

HEADQUARTERS

10 New Maple Ave. Suite 307

Pine Brook, NJ 07058 - USA

Orders & Inquiries · 201.778.0442 · orders@thestoneproject.net

FLORIDA SHOWROOM / WAREHOUSE

Powerline Park, Building 3, Bay 1

2280 NW 30th Place

Pompano Beach, FL 33069